

Safe Products | Sound Advice | Delivered 800-451-3077 | RitzSafety.com

# QM24+® 3- Position Earmuffs

Honeywell HOWARD

UOM	COL
EACH	F

#### **Product Description**

The dielectric QM24+<sup>®</sup> is an ultra-lightweight, threeposition earmuff designed for extended wear at a valued price. Weighing only 6 oz., the QM24+<sup>®</sup> features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin. Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use.

### Features

- Ultra lightweight design
- Alternative to cap-mounted earmuffs- wear with hard hats, face shields, respirators and other PPE
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- Dielectric construction suitable for electrical environments.

## Application's / Industry

- Construction
- Confined Space
- General Industry
- Utilities
  - Rep
- Oil and Gas
- Repair and maintenance

Manufacturing

Demolition

#### For more information, CONTACT US: (800) 451-3077 | Sales@RitzSafety.com | RitzSafety.com

User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Product features, design and protection zones and/or capabilities are subject to change. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call Ritz Safety at 1-800-451-3077. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. NRR Footnote: Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided

## Specifications

Manufacturer	P/N	QM24PLUS
Certification	Tested to AN	ISI S3.19-1974
Material		Plastic
Style	N	lultiple-Position
UOM		Each
NRR Rating		25