



Safe Products | Sound Advice | Delivered
800-451-3077 | RitzSafety.com

PointGuard® Ultra 4045 with SuperFabric® Inner Shell



EN 388



4X22F



ITEM #	SIZES	COLOR
HEX4045	MD-2X	BLACK

Product Description

HexArmor® needlestick resistant products do more than pass industry-accepted testing methods; they put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so they created their own tests, mirroring the conditions and hazards that users face.

Features

- Highest needlestick resistance available provided by the layering of SuperFabric® brand material. Tested using actual 25 gauge needles against ANSI/ISEA 105 standard
- Highest level of cut resistance on noted enhanced areas, ANSI/ISEA Cut Level A7 and Needlestick Level 3 at the fingertips
- Back-of-hand knuckle padding for incidental bumps & impacts
- Silicone palm pattern for enhanced durability and grip & form-fitting design for increased dexterity and comfort
- AirMesh™ breathable back of hand with Airprene wrist band and Velcro® closure
- Launderable

Application's / Industry

- Police
- Medical
- First Responders
- Waste Management

Specifications

Manufacturer P/N	4045
ANSI Cut Level	A7
EN Cut Level	4X22F
Palm	Silicone Palm Pattern
Interior Layer	SuperFabric®
Shell Material	AirMesh™ Back of Hand
Cuff Style	Airprene Wrist Band
Impact Protection	Back-of-hand Knuckle
UOM	Pair

For more information, CONTACT US: (800) 451-3077 | Sales@RitzSafety.com | RitzSafety.com

Neither this document nor any other statement made herein by or on behalf of Ritz Safety should be construed as a warranty of merchantability or that any product promoted by Ritz Safety is fit for a particular purpose. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Product features, design and protections zones and/or capabilities are subject to change. All gloves advertised as cut or puncture resistant are NOT CUT OR PUNCTURE PROOF. Do not use with moving or serrated blades or tools.