

Safe Products | Sound Advice | Delivered 800-451-3077 | RitzSafety.com

MSA Full Brim Cap-Mounted Earmuffs



MSA

ITEM #	UOM	COLOR
MSA10129327	PAIR	GRAY

Product Description

MSA SoundControl Classic hearing protection offers four helmet-mounted options for MSA caps and full brim hats. The classic line offers lightweight, low-profile cups with various protection levels for low to loud noise worksites.

Features

- · For use with MSA slotted full brim helmets
- Does not interfere with Class E rating of MSA slotted full brim helmets
- Three distinct wearing positions for ease of use
- · Balancing muff with ear cup angle
- · Comfortable and stable fit with soft ear cup material for extended wear
- All adjustments made from top of beam
- Provides maximum space for the ears inside the cup
- Spring design offers low pressure & a high level of comfort

Application's / Industry

- Construction
- Confined Space

UOM Pair

Tested to ANSI S3.19-1974

 General Industry Manufacturiq

NRR Rating

Specifications

Manufacturer P/N

Certification

- Utilities
- · Repair and maintenance

- 25 dBA **Protection Style** Cap-Mounted
- · Oil and Gas
- Demolition

For more information, CONTACT US: (800) 451-3077 | Sales@RitzSafety.com | RitzSafety.com

10129327

User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Product features, design and protection zones and/or capabilities are subject to change. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call Ritz Safety at 1-800-451-3077. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. NRR Footnote: Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided