

## RTZTQ30LE

# TORQ 30-FT LEADING EDGE SIDE WINDING CABLE RETRACTABLE CLASS 2

The Ritz Fall Protection Torq 30' Leading Edge Retractable is a robust fall protection device designed specifically for workers operating near sharp or abrasive edges at height. This SRL-LE offers enhanced safety features and durability, ensuring reliable performance in challenging work environments. It comes with one steel carabiner.



## FEATURES

- Designed for leading edge applications, with an integrated shock absorber and energy-absorbing components to reduce impact forces in a fall.
- Features a 30 ft. (9.1 meters) galvanized steel cable lifeline, providing ample working range.
- The galvanized steel cable (3/16" diameter) is designed to offer high strength, durability, and resistance to abrasion and corrosion.
- Housed in a high-impact-resistant thermoplastic or aluminum housing, providing durability and protection for the internal components from damage.
- The device features a robust internal braking system that automatically locks and arrests the fall within inches, minimizing the risk of injury to the worker.
- The assembly is designed to support a user weight capacity of up to 420lbs including clothing, tools, and other equipment.
- Swivel anchorage connection, allowing for increased mobility and reducing lifeline twisting during use.
- The twist & lock carabiner is self-locking providing a secure connection to the worker's body harness.

## TECH SPECS

<b>Cable Material</b>	3/16" Galvanized Steel
<b>Cable Length</b>	30 ft
<b>Lifeline Connector</b>	Aluminum Twist & Lock Carabiner
<b>Anchorage Connector</b>	Steel Swivel Anchorage Eye
<b>Min. Breaking Strength</b>	3400 lbs (1542 kg)
<b>ANSI User Capacity</b>	130 lbs - 310 lbs / OSHA 420lbs
<b>ANSI SRL Class</b>	CLASS 2
<b>Casing Material</b>	Thermoplastic

## STANDARDS

Meets or exceeds the applicable industry standards, such as ANSI/ASSP Z359.14-2021, OSHA and CSA requirements, ensuring its quality and performance in fall protection applications.